GerVetUSA™
Improving Instruments, Refining Surgeries


Bone Screws Titanium & Stainless

Drill Bits & Guides, K-Wires& Steinman Pins

If we don't have the Surgical Instrument you're looking for, we will **MANUFACTURE** it for you!







20% To 45% OFF

AAHA
JOURNEY MISSION PARTNER
CORPORATE MEMBER

www.GerVetUSA.com
1188 Willis Ave Suite#801 Albertson, NY 11507
516 385 3434 - 833 906 7575
sales@gervetusa.com

Bone Screws Titanium & Stainless

1 - Cortex Bone Screw 1.5mm Self-Tapping Cruciform



GV102-15-06 6mm	**GV102-15-07** 7mm	**GV102-15-08** 8mm	**GV102-15-09** 9mm	**GV102-15-10** 10mm	**GV102-15-12** 12mm
GV102-15-14 14mm	**GV102-15-16** 16mm	**GV102-15-18** 18mm	**GV102-15-20** 20mm	**GV102-15-22** 22mm	**GV102-15-24** 24mm
GV102-015-26 26mm					

2 - Cortex Bone Screw 1.5mm Self-Tapping Titanium, Cruciform



GV500-15-04 4mm	**GV500-15-05** 5mm	**GV500-15-06** 6mm	**GV500-15-07** 7mm	**GV500-15-08** 8mm	**GV500-15-09** 9mm
GV500-15-10 10mm	**GV500-15-12** 12mm	**GV500-15-14** 14mm	**GV500-15-16** 16mm	**GV500-15-18** 18mm	**GV500-15-20** 20mm
GV500-15-22 22mm	**GV500-15-24** 24mm	**GV500-15-26** 26mm			

3 - Cortex Bone Screw 2.4mm Self-Tapping Titanium, Cruciform



GV500-24-06 6mm	**GV500-24-08** 8mm	**GV500-24-10** 10mm	**GV500-24-12** 12mm	**GV500-24-14** 14mm	**GV500-24-16** 16mm
GV500-24-18 18mm	**GV500-24-20** 20mm	**GV500-24-22** 22mm	**GV500-24-24** 24mm	**GV500-24-26** 26mm	**GV500-24-28** 28mm
GV500-24-30 30mm	**GV500-24-32** 32mm	**GV500-24-34** 34mm	**GV500-24-36** 36mm	**GV500-24-38** 38mm	**GV500-24-40** 40mm

4 - Cortex Bone Screw 2.4mm Self-Tapping Hex Head - Titanium



GV400-24-05 5mm	**GV400-24-06** 6mm	**GV400-24-08** 8mm	**GV400-24-10** 10mm	**GV400-24-12** 12mm	**GV400-24-14** 14mm
GV400-24-16 16mm	**GV400-24-18** 18mm	**GV400-24-20** 20mm	**GV400-24-22** 22mm	**GV400-24-24** 24mm	**GV400-24-26** 26mm
GV400-24-28 28mm	**GV400-24-30** 30mm	**GV400-24-32** 32mm	**GV400-24-34** 34mm	**GV400-24-36** 36mm	**GV400-24-38** 38mm
GV400-24-40 40mm					

GerVetUSA™
Improving Instruments, Refining Surgeries

5 - Bone Screws 2.0mm - Titanium - Self-Tapping - Hex Head

GV400-20-04
4mm

GV400-20-06
6mm

GV400-20-08
8mm

GV400-20-10
10mm

GV400-20-12
12mm

GV400-20-14
14mm

GV400-20-16
16mm

GV400-20-18
18mm

GV400-20-20
20mm

GV400-20-22
22mm

GV400-20-24
24mm

GV400-20-26
26mm

GV400-20-28
28mm

GV400-20-30
30mm



6 - Cortex Bone Screw 2.7mm Self-Tapping Hex Head Titanium

GV400-27-06
6mm

GV400-27-08
8mm

GV400-27-10
10mm

GV400-27-12
12mm

GV400-27-14
14mm

GV400-27-16
16mm

GV400-27-18
18mm

GV400-27-20
20mm

GV400-27-22
22mm

GV400-27-24
24mm

GV400-27-26
26mm

GV400-27-28
28mm

GV400-27-30
30mm


GV400-27-32
32mm

GV400-27-34
34mm

GV400-27-36
36mm

GV400-27-38
38mm

GV400-27-40
40mm



7 - Cortex Bone Screw 3.5mm Length Self-Tapping Hex Head Titanium

GV400-35-08
8mm

GV400-35-10
10mm

GV400-35-12
12mm

GV400-35-14
14mm

GV400-35-16
16mm

GV400-35-18
18mm

GV400-35-20
20mm

GV400-35-22
22mm

GV400-35-24
24mm

GV400-35-26
26mm

GV400-35-28
28mm

GV400-35-30
30mm

GV400-35-32
32mm

GV400-35-34
34mm

GV400-35-36
36mm

GV400-35-38
38mm

GV400-35-40
40mm



8- Cancellous Screws - Fully Threaded



Cancellous Bone Screws 2.0mm - Fully Threaded

GV102-20-10
10mm

GV102-20-12
12mm

GV102-20-14
14mm

GV102-20-16
16mm

GV102-20-18
18mm

GV102-20-20
20mm

GV102-20-22
22mm

GV102-20-24
24mm

Cancellous Screws 3.0mm



GV102-30-10 10mm	**GV102-30-12** 12mm	**GV102-30-14** 14mm	**GV102-30-16** 16mm	**GV102-30-18** 18mm	**GV102-30-20** 20mm
GV102-30-22 22mm	**GV102-30-24** 24mm	**GV102-30-26** 26mm	**GV102-30-28** 28mm	**GV102-30-30** 30mm	**GV102-30-32** 32mm
GV102-30-34 34mm	**GV102-30-36** 36mm	**GV102-30-38** 38mm	**GV102-30-40** 40mm		

Cancellous Bone Screws 4.0mm



GV102-40-10 10mm	**GV102-40-12** 12mm	**GV102-40-14** 14mm	**GV102-40-16** 16mm	**GV102-40-18** 18mm	**GV102-40-20** 20mm
GV102-40-22 22mm	**GV102-40-24** 24mm	**GV102-40-26** 26mm	**GV102-40-28** 28mm	**GV102-40-30** 30mm	**GV102-40-32** 32mm
GV102-40-34 34mm	**GV102-40-35** 35mm	**GV102-40-36** 36mm	**GV102-40-38** 38mm	**GV102-40-40** 40mm	**GV102-40-42** 42mm
GV102-40-44 44mm	**GV102-40-45** 45mm	**GV102-40-46** 46mm	**GV102-40-48** 48mm	**GV102-40-50** 50mm	**GV102-40-52** 52mm
GV102-40-55 55mm	**GV102-40-60** 60mm	**GV102-40-70** 70mm			

9 - Cancellous Screws 4.0mm - Partially Threaded



GV102-40-10P 10mm	**GV102-40-12P** 12mm	**GV102-40-14P** 14mm	**GV102-40-16P** 16mm	**GV102-40-18P** 18mm	**GV102-40-20P** 20mm
GV102-40-22P 22mm	**GV102-40-24P** 24mm	**GV102-40-26P** 26mm	**GV102-40-28P** 28mm	**GV102-40-30P** 30mm	**GV102-40-32P** 32mm
GV102-40-34P 34mm	**GV102-40-35P** 35mm	**GV102-40-36P** 36mm	**GV102-40-40P** 40mm	**GV102-40-42P** 42mm	**GV102-40-44P** 44mm
GV102-40-45P 45mm	**GV102-40-46P** 46mm	**GV102-40-48P** 48mm	**GV102-40-50P** 50mm	**GV102-40-52P** 52mm	**GV102-40-55P** 55mm
GV102-40-60P 60mm					

10- Cortex Screws - Hex Head



Cortex Bone Screw 1.5mm Hex Head

GV101-15-06 6mm	**GV101-15-07** 7mm	**GV101-15-08** 8mm	**GV101-15-09** 9mm	**GV101-15-10** 10mm	**GV101-15-11** 11mm
GV101-15-12 12mm	**GV101-15-14** 14mm	**GV101-15-16** 16mm	**GV101-15-18** 18mm	**GV101-15-20** 20mm	

Cortex Bone Screw 2.0mm



GV101-20-06 6mm	**GV101-20-08** 8mm	**GV101-20-10** 10mm	**GV101-20-12** 12mm	**GV101-20-14** 14mm	**GV101-20-16** 16mm
GV101-20-18 18mm	**GV101-20-20** 20mm	**GV101-20-22** 22mm	**GV101-20-24** 24mm	**GV101-20-26** 26mm	**GV101-20-28** 28mm
GV101-20-30 30mm					

Cortex Screw 2.7mm



GV101-27-06 6mm	**GV101-27-08** 8mm	**GV101-27-10** 10mm	**GV101-27-12** 12mm	**GV101-27-14** 14mm	**GV101-27-16** 16mm
GV101-27-18 18mm	**GV101-27-20** 20mm	**GV101-27-22** 22mm	**GV101-27-24** 24mm	**GV101-27-26** 26mm	**GV101-27-28** 28mm
GV101-27-30 30mm	**GV101-27-32** 32mm	**GV101-27-34** 34mm	**GV101-27-36** 36mm	**GV101-27-38** 38mm	**GV101-27-40** 40mm

Cortex Bone Screw 3.5mm



GV101-35-10 10mm	**GV101-35-12** 12mm	**GV101-35-14** 14mm	**GV101-35-16** 16mm	**GV101-35-18** 18mm	**GV101-35-20** 20mm
GV101-35-22 22mm	**GV101-35-24** 24mm	**GV101-35-26** 26mm	**GV101-35-28** 28mm	**GV101-35-30** 30mm	**GV101-35-32** 32mm
GV101-35-34 34mm	**GV101-35-36** 36mm	**GV101-35-38** 38mm	**GV101-35-40** 40mm	**GV101-35-42** 42mm	**GV101-35-44** 44mm
GV101-35-45 45mm	**GV101-35-46** 46mm	**GV101-35-48** 48mm	**GV101-35-50** 50mm		

Cortical Bone Screw 4.5mm



GV101-45-12 12mm	**GV101-45-14** 14mm	**GV101-45-16** 16mm	**GV101-45-18** 18mm	**GV101-45-20** 20mm	**GV101-45-22** 22mm
GV101-45-24 24mm	**GV101-45-26** 26mm	**GV101-45-28** 28mm	**GV101-45-30** 30mm	**GV101-45-32** 32mm	**GV101-45-34** 34mm
GV101-45-36 36mm	**GV101-45-38** 38mm	**GV101-45-40** 40mm	**GV101-45-42** 42mm	**GV101-45-44** 44mm	**GV101-45-46** 46mm
GV101-45-48 48mm	**GV101-45-50** 50mm	**GV101-45-52** 52mm	**GV101-45-56** 56mm	**GV101-45-60** 60mm	**GV101-45-64** 64mm

GV101-45-65 65mm	**GV101-45-66** 66mm	**GV101-45-68** 68mm	**GV101-45-70** 70mm	**GV101-45-75** 75mm	**GV101-45-80** 80mm
GV101-45-85 85mm	**GV101-45-90** 90mm	**GV101-45-100** 100mm	**GV101-45-110** 110mm		

11 - Cortex Screws - Hex Head (Self-Tapping)



Cortex Bone Screw 1.5mm Self-Tapping Titanium Hex Head

GV400-15-06 6mm	**GV400-15-08** 8mm	**GV400-15-10** 10mm	**GV400-15-12** 12mm	**GV400-15-14** 14mm	**GV400-15-16** 16mm
GV400-15-18 18mm	**GV400-15-20** 20mm	**GV400-15-22** 22mm	**GV400-15-24** 24mm	**GV400-15-26** 26mm	**GV400-15-28** 28mm
GV400-15-30 30mm	**GV400-15-32** 32mm	**GV400-15-34** 34mm	**GV400-15-36** 36mm	**GV400-15-38** 38mm	**GV400-15-40** 40mm



Cortex Bone Screw 1.5mm Self-Tapping Hex Head

GV101-15-06 6mm	**GV101-15-07** 7mm	**GV101-15-08** 8mm	**GV101-15-09** 9mm	**GV101-15-10** 10mm	**GV101-15-11** 11mm
GV101-15-12 12mm	**GV101-15-14** 14mm	**GV101-15-16** 16mm	**GV101-15-18** 16mm	**GV101-15-20** 20mm	



Cortex Bone Screw 2.0mm Self-Tapping Hex Head

GV101-20-06 6mm	**GV101-20-08** 8mm	**GV101-20-10** 10mm	**GV101-20-12** 12mm	**GV101-20-14** 14mm	**GV101-20-16** 16mm
GV101-20-18 18mm	**GV101-20-20** 20mm	**GV101-20-22** 22mm	**GV101-20-24** 24mm	**GV101-20-26** 26mm	**GV101-20-28** 28mm
GV101-20-30 30mm					



Cortex Bone Screw 2.4mm Self-Tapping Hex Head

GV101-24-06 6mm	**GV101-24-08** 8mm	**GV101-24-10** 10mm	**GV101-24-12** 12mm	**GV101-24-14** 14mm	**GV101-24-16** 16mm
GV101-24-18 18mm	**GV101-24-20** 20mm	**GV101-24-22** 22mm	**GV101-24-24** 24mm	**GV101-24-26** 26mm	**GV101-24-28** 28mm
GV101-24-30 30mm	**GV101-24-32** 32mm	**GV101-24-34** 34mm	**GV101-24-36** 36mm	**GV101-24-38** 38mm	
GV101-24-40 40mm					

Cortex Screw 2.7mm Self-Tapping Hex Head



GV101-27-06 6mm	**GV101-27-08** 8mm	**GV101-27-10** 10mm	**GV101-27-12** 12mm	**GV101-27-14** 14mm	**GV101-27-16** 16mm
GV101-27-18 18mm	**GV101-27-20** 20mm	**GV101-27-22** 22mm	**GV101-27-24** 24mm	**GV101-27-26** 26mm	**GV101-27-28** 28mm
GV101-27-30 30mm	**GV101-27-32** 32mm	**GV101-27-34** 34mm	**GV101-27-36** 36mm	**GV101-27-38** 38mm	**GV101-27-40** 40mm

Cortex Bone Screw 2.7mm Self-Tapping Hex Head Titanium



GV400-27-06 6mm	**GV400-27-08** 8mm	**GV400-27-10** 10mm	**GV400-27-12** 12mm	**GV400-27-14** 14mm	**GV400-27-16** 16mm
GV400-27-18 18mm	**GV400-27-20** 20mm	**GV400-27-22** 22mm	**GV400-27-24** 24mm	**GV400-27-26** 26mm	**GV400-27-28** 28mm
GV400-27-30 30mm	**GV400-27-32** 32mm	**GV400-27-34** 34mm	**GV400-27-36** 36mm	**GV400-27-38** 38mm	**GV400-27-40** 40mm

Cortex Bone Screw Self-Tapping 3.5mm



GV101-35-10 10mm	**GV101-35-12** 12mm	**GV101-35-14** 14mm	**GV101-35-16** 16mm	**GV101-35-18** 18mm	**GV101-35-20** 20mm
GV101-35-22 22mm	**GV101-35-24** 24mm	**GV101-35-26** 26mm	**GV101-35-28** 28mm	**GV101-35-30** 30mm	**GV101-35-32** 32mm
GV101-35-34 34mm	**GV101-35-36** 36mm	**GV101-35-38** 38mm	**GV101-35-40** 40mm	**GV101-35-42** 42mm	**GV101-35-44** 44mm
GV101-35-45 45mm	**GV101-35-46** 46mm	**GV101-35-48** 48mm	**GV101-35-50** 50mm		


Cortical Bone Screw 4.5mm - Self-Tapping



GV101-45-12 12mm	**GV101-45-14** 14mm	**GV101-45-16** 16mm	**GV101-45-18** 18mm	**GV101-45-20** 20mm	**GV101-45-22** 22mm
GV101-45-24 24mm	**GV101-45-26** 26mm	**GV101-45-28** 28mm	**GV101-45-30** 30mm	**GV101-45-32** 32mm	**GV101-45-34** 34mm
GV101-45-36 36mm	**GV101-45-38** 38mm	**GV101-45-40** 40mm	**GV101-45-42** 42mm	**GV101-45-44** 44mm	**GV101-45-46** 46mm
GV101-45-48 48mm	**GV101-45-50** 50mm	**GV101-45-52** 52mm	**GV101-45-56** 56mm	**GV101-45-60** 60mm	**GV101-45-64** 64mm
GV101-45-65 65mm	**GV101-45-66** 66mm	**GV101-45-68** 68mm	**GV101-45-70** 70mm		

GerVetUSA™ Improving Instruments, Refining Surgeries

GV101-45-75 75mm	**GV101-45-80** 80mm	**GV101-45-85** 85mm	**GV101-45-90** 90mm	**GV101-45-100** 100mm	**GV101-45-110** 110mm



12 - Locking Screws (Self-Tapping)

Self-Tapping Locking Screw 1.5mm

GV103-15-06 6mm	**GV103-15-08** 8mm	**GV103-15-10** 10mm	**GV103-15-12** 12mm	**GV103-15-14** 14mm	**GV103-15-16** 16mm
GV103-15-18 18mm	**GV103-15-20** 20mm				

Self-Tapping Locking Screw 2.4mm



GV103-24-06 6mm	**GV103-24-08** 8mm	**GV103-24-10** 10mm	**GV103-24-12** 12mm		
GV103-24-14 14mm	**GV103-24-16** 16mm	**GV103-24-18** 18mm	**GV103-24-20** 20mm		

Self-Tapping Locking Screw 2.0mm



GV103-20-06 6mm	**GV103-20-10** 10mm	**GV103-20-12** 12mm	**GV103-20-14** 14mm		



Self-Tapping Locking Screw 2.7mm

GV103-27-08 8mm	**GV103-27-10** 10mm	**GV103-27-12** 12mm	**GV103-27-14** 14mm	**GV103-27-16** 16mm	**GV103-27-18** 18mm
GV103-27-20 20mm	**GV103-27-22** 22mm	**GV103-27-24** 24mm	**GV103-27-26** 26mm	**GV103-27-28** 28mm	**GV103-27-30** 30mm
GV103-27-32 32mm	**GV103-27-34** 34mm	**GV103-27-36** 36mm	**GV103-27-40** 40mm		



Self-Tapping Locking Screw 3.5mm

GV103-35-10 10mm	**GV103-35-12** 12mm	**GV103-35-14** 14mm	**GV103-35-16** 16mm	**GV103-35-18** 18mm	**GV103-35-20** 20mm
GV103-35-22 22mm	**GV103-35-24** 24mm	**GV103-35-26** 26mm	**GV103-35-28** 28mm	**GV103-35-30** 30mm	**GV103-35-32** 32mm
GV103-35-34 34mm	**GV103-35-36** 36mm	**GV103-35-38** 38mm	**GV103-35-40** 40mm	**GV103-35-45** 45mm	**GV103-35-50** 50mm
GV103-35-55 55mm	**GV103-35-60** 60mm	**GV103-35-65** 65mm	**GV103-35-70** 70mm		

Drill Bits & Guides



1 - Twist Drill Straight Shank Double Fluted Round End

G25-118
2" 1.0mm 26mm

G25-132
3.2mm 180mm/70mm

G25-133
3.5mm 180mm/70mm

G25-134
4.5mm 180mm/55mm

G25-119
5" 1.0mm 20mm

G25-120
5" 1.5mm 17mm

G25-121
5" 2.0mm 23mm

G25-122
5" 2.4mm 22mm

G25-123
5" 2.5mm 22mm

G25-124
5" 2.7mm 30mm

G25-125
5" 3.2mm 42mm

G25-126
5" 3.5mm 42mm

G25-127
5" 4.0mm 45mm

G25-128
5" 4.5mm 34mm

G25-129
5" 4.7mm 34mm

G25-130
5" 5.0mm 42mm

G25-131
5" 6.0mm 37mm

G25-135
6.0mm 180mm/70mm

G25-139
Bit 2.8mm 165/16.5mm

2 - Drill Bit, SQC (Standard Quick Connect)



G25-100
1.1mm 60/12.5mm

G25-101
1.5mm 85/18mm

G25-102
1.5mm 110/18mm

G25-103
2.0mm 100/21.5mm

G25-104
2.0mm 125/21.5mm

G25-105
2.2mm 110/32mm

G25-107
2.5mm 180/32mm

G25-108
2.5mm 110/32mm

G25-109
2.7mm 100/29mm

G25-110
2.7mm 125/29mm

G25-111
3.2mm 145/48mm

G25-112
3.2mm 195/50mm

G25-113
3.5mm 110/41.5mm

G25-114
3.5mm 195/50mm

G25-115
4.0mm 195/40mm

G25-116
4.5mm 145/50mm

G25-117
4.5mm 195/50mm

G25-145
2.8mm 165/16.5mm

3 - Drill Sleeve Doubled



G24-411
1.1mm 60/12.5mm

G24-412
1.5mm 85/18mm

G24-400
1.5mm 110/18mm

G24-401
2.0mm 100/21.5mm

G24-402
2.0mm 125/21.5mm

G24-403
2.2mm 110/32mm

G24-405
2.5mm 110/32mm

G24-404
2.5mm 180/32mm

4 - Drill Guide Neutral - Screw, Cortex - Drill Bit



G24-413
2.0mm/1.5mm

G24-414
2.7mm/2.0mm

G24-417
3.5mm/2.5mm

G24-415
3.5mm/2.5mm

G24-418
4.5mm/3.2mm

G24-416
4.5mm/3.2mm

GerVetUSA™
Improving Instruments, Refining Surgeries



5 - Drill Bits - Self-Centered, Plain Shaft

GV600-18
1.8mm

GV600-20
2.0mm

GV600-25
2.5mm

6 - Universal Drill Guide - Screw, Drill Bit



G24-421
3.5mm/2.5mm

G24-422
4.5mm/3.2mm



7 - Drill Bit SQC 3 Flute Calibrated

G25-136
2.5mm 230mm/30mm

G25-137
3.2mm 230mm/30mm

G25-138
4.5mm 195mm/45mm

8 - TTA Drill Guide



GV600-04
2.0/2.7

GV600-03
2.5/3.5

K-Wires & Steinmann Pins

1- K-Wires Single Diamond




K Wires Single Diamond Round 4"

G24-152
0.9mm

G24-154
1.1mm

G24-156
1.6mm



K Wires Single Diamond Round 4"

G39-3310
0.9mm .035"

G39-3320
1.1mm .045"

G39-3330
1.4mm .054"

G39-3340
1.6mm .062"

G39-258
0.7mm .028"

GerVetUSA™
Improving Instruments, Refining Surgeries



K Wires Single Diamond Round 5"

G39-3341	G39-260	G39-262	G39-264	G39-3348
0.7mm .028"	0.9mm .035"	1.1mm .045"	1.4mm .054"	1.6mm .062"



K Wires Single Diamond Round 6"

G39-3350	G39-3360	G39-3370	G39-3380	G39-3390	G39-3400
0.7mm .028"	0.9mm .035"	1.1mm .045"	1.4mm .054"	1.6mm .062"	0.7mm .028"



K Wires Single Diamond Round 9"

G39-266	G39-268	G39-272	G39-270	G39-286	G39-3500
0.9mm .035"	1.1mm .045"	1.4mm .054"	1.6mm .062"	1.6mm .062"	0.7mm .028"



K Wires Single Diamond Round 12"

G39-274	G39-276	G39-3525	G39-278
0.9mm .035"	1.1mm .045"	1.4mm .054"	1.6mm .062"

2- K-Wire Double Diamond



K Wires Double Diamond Round 4"

G39-230	G39-232	G39-234	G39-236	G39-238
0.7mm .028"	0.9mm .035"	1.1mm .045"	1.4mm .054"	1.6mm .062"



K Wires Double Diamond Round 5"

G39-240	G39-242	G39-244	G39-246	G39-248
0.7mm .028"	0.9mm .035"	1.1mm .045"	1.4mm .054"	1.6mm .062"



K Wires Double Diamond Round 6"

G39-112	G39-114	G39-116	G39-118	G39-122	G39-120
0.7mm .028"	0.9mm .035"	1.1mm .045"	1.2mm .050"	1.4mm .054"	1.6mm .062"



K Wires Double Diamond Round 9"

G39-930	G39-250	G39-252	G39-256	G39-254
0.7mm .028"	0.9mm .035"	1.1mm .045"	1.4mm .054"	1.6mm .062"

K Wires Double Diamond Round 12"



G39-932	G39-934	G39-936	G39-938	G39-940
0.7mm .028"	0.9mm .035"	1.1mm .045"	1.4mm .054"	1.6mm .062"

3 - K-Wire Single Trocar

K Wires Single Trocar 2 3/4"



G39-164	G39-166
2 3/4" 0.6mm	2 3/4" 0.8mm

K Wires Single Trocar 4"



G39-168	G39-170	G39-172	G39-174	G39-176
4" 0.7mm .028"	4" 0.9mm .035"	4" 1.1mm .045"	4" 1.4mm .054"	4" 1.6mm .062"



K Wires Single Trocar 5"

G39-196	G39-198	G39-200	G39-202	G39-204
5" 0.7mm .028"	5" 0.9mm .035"	5" 1.1mm .045"	5" 1.4mm .054"	5" 1.6mm .062"



K Wires Single Trocar 6"

G39-206	G39-208	G39-210	G39-212	G39-214	G39-216
6" 0.7mm .028"	6" 0.9mm .035"	6" 1.0mm .040"	6" 1.1mm .045"	6" 1.2mm .047"	6" 1.3mm .051"

G39-218	G39-220	G39-222	G39-224	G39-226
6" 1.4mm .054"	6" 1.6mm .062"	6" 2.0mm 5/64"	6" 2.5mm .098"	6" 3.0mm .118"



K Wires Single Trocar 9"

G39-178	G39-180	G39-182	G39-186	G39-184
9" 0.7mm .028"	9" 0.9mm .035"	9" 1.1mm .045"	9" 1.4mm .054"	9" 1.6mm .062"



K Wires Single Trocar 12"

G39-2600	G39-188	G39-190	G39-194	G39-192
12" 0.7mm 0.028"	12" 0.9mm .035"	12" 1.1mm .045"	12" 1.4mm .054"	12" 1.6mm .062"

GerVetUSA™
Improving Instruments, Refining Surgeries

4 - K-Wire Double Trocar

K Wires Double Trocar 9"

G39-144	**G39-146**	**G39-148**	**G39-150**	**G39-154**	**G39-152**
9" 0.7mm .028"	9" 0.9mm .035"	9" 1.1mm .045"	9" 1.2mm .050"	9" 1.4mm .054"	9" 1.6mm .062"

K Wires Double Trocar 12"

G39-942	**G39-156**	**G39-944**	**G39-158**	**G39-946**
12" 0.7mm .028"	12" 0.9mm .035"	12" 1.1mm .045"	12" 1.4mm .054"	12" 1.6mm .062"

K Wires Double Trocar 6"

G39-100	**G39-102**	**G39-104**	**G39-106**	**G39-108**	**G39-110**
6" 0.7mm .028"	6" 0.9mm .035"	6" 1.0mm .040"	6" 1.1mm .045"	6" 1.2mm .047"	6" 1.3mm .051"

K Wires Double Trocar 5"

G39-134	**G39-136**	**G39-138**	**G39-140**	**G39-142**
5" 0.7mm .028"	5" 0.9mm .035"	5" 1.1mm .045"	5" 1.4mm .054"	5" 1.6mm .062"

K Wires Double Trocar 4"

G39-124	**G39-126**	**G39-128**	**G39-132**	**G39-130**
4" 0.7mm .028"	4" 0.9mm .035"	4" 1.1mm .045"	4" 1.4mm .054"	4" 1.6mm .062"

5 - K Wires Double Trocar Titanium Alloy

K Wires Double Trocar 4" Titanium Alloy

G39-960	**G39-962**	**G39-964**	**G39-966**	**G39-968**	**G39-970**
4" 0.6mm .024"	4" 1.0mm .039"	4" 1.2mm .047"	4" 1.5mm .059"	4" 1.6mm .062"	4" 1.8mm .070"

K Wires Double Trocar 6" Titanium Alloy

G39-972	**G39-974**	**G39-976**	**G39-978**	**G39-980**	**G39-982**
6" 0.6mm .024"	6" 1.0mm .039"	6" 1.2mm .047"	6" 1.5mm .059"	6" 1.6mm .062"	6" 1.8mm .070"

6 - K-Wire Single Trocar Threaded



K-Wires Single Trocar 25mm Threaded

G39-9110	**G39-9112**	**G39-9114**	**G39-476**	**G39-9118**
4" 1.6mm .062"	5" 1.6mm .062"	6" 1.6mm .062"	9" 1.6mm .062"	12" 1.6mm .062"



K-Wires Single Trocar Threaded

G39-4080	**G39-4085**	**G39-4090**	**G39-4110**	**G39-288**
4" 1.6mm .062"	5" 1.6mm .062"	6" 1.6mm .062"	12" 1.6mm .062"	9" 1.6mm .062"



K Wire Single Trocar Threaded 12"

G39-271	**G39-273**	**G39-275**	**G39-277**
12” 0.9mm .035”	12” 1.1mm .045”	12” 1.4mm .054”	12” 1.6mm .062”

7 - K-Wire Double Trocar Threaded



K Wires Double Trocar Threaded 1.6mm .062"

G39-290	**G39-294**	**G39-292**	**G39-284**	**G39-307**
4" 1.6mm .062"	5" 1.6mm .062"	6" 1.6mm .062"	9" 1.6mm .062"	12" 1.6mm .062"



K Wires Double Trocar Threaded 1.4mm .054"


G39-291	**G39-293**	**G39-297**	**G39-285**	**G39-305**
4" 1.4mm .054"	5" 1.4mm .054"	6" 1.4mm .054"	9" 1.4mm .054"	12" 1.4mm .054"



K Wire Double Trocar Threaded 12"

G39-301	**G39-303**	**G39-305**	**G39-307**
12” 0.9mm .035”	12” 1.1mm .045”	12" 1.4mm .054"	12" 1.6mm .062"

8 - Steinmann Pins Single Trocar 3 Shank



Steinmann Pins Single Trocar 3 Shank

G39-314
2.0mm 5/64”

G39-316
2.4mm 3/32"


G39-318
2.8mm 7/64"

G39-320
3.2mm 1/8"

G39-322
3.5mm 9/64"

G39-324
4.0mm 5/32"

G39-326
4.5mm .177"



Single Trocar 3 Shank Steinmann Pin Set of 2

G39-314-2
2.0mm 5/64"

G39-316-2
2.4mm 3/32"

G39-318-2
2.8mm 7/64"

G39-320-2
3.2mm 1/8"

G39-322-2
3.5mm 9/64"

G39-324-2
4.0mm 5/32"

G39-326-2
4.5mm 0.177"

9 - Steinmann Pin Single Trocar Threaded



15mm Threaded 9" - pkg 6

G39-464
2.0mm 5/64”

G39-466
2.4mm 3/32"

G39-468
2.8mm 7/64"

G39-470
3.2mm 1/8"

G39-472
3.5mm 9/64"

G39-474
4.0mm 5/32"



25mm Threaded 9 pkg 6

G39-478
2.0mm 5/64"

G39-480
2.4mm 3/32"

G39-482
2.8mm 7/64"

G39-484
3.5mm 9/64"

G39-486
4.0mm 5/32"



9" Threaded 45mm pkg 6

G39-490
2.0mm 5/64"

G39-492
2.4mm 3/32"

G39-494
2.8mm 7/64"

G39-496
3.5mm 9/64"

G39-498
4.0mm 5/32"

GerVetUSA™
Improving Instruments, Refining Surgeries



9" Threaded pkg 6

G39-450 2.0mm 5/64"	**G39-452** 2.4mm 3/32"	**G39-454** 2.8mm 7/64"	**G39-456** 3.2mm 1/8"	**G39-458** 3.5mm 9/64"
G39-460 4.0mm 5/32"	**G39-462** 4.5mm .177"			



25mm Threaded 9" Set of 2 - pkg/2

G39-478-2 2.0mm 5/64"	**G39-480-2** 2.4mm 3/32"	**G39-482-2** 2.8mm 7/64"	**G39-484-2** 3.5mm 9/64"	**G39-486-2** 4.0mm 5/32"



9" Threaded Set of 2 - pkg/2

G39-450-2 2.0mm 5/64"	**G39-452-2** 2.4mm 3/32"	**G39-454-2** 2.8mm 7/64"	**G39-456-2** 3.2mm 1/8"	**G39-458-2** 3.5mm 9/64"
G39-460-2 4.0mm 5/32"	**G39-462-2** 4.5mm 0.177"			



9" Threaded 15mm / 45mm Set of 2 - pkg/2

G39-490-2 2.0mm 5/64"	**G39-492-2** 2.4mm 3/32"	**G39-494-2** 2.8mm 7/64"	**G39-496-2** 3.5mm 9/64"	**G39-498-2** 4.0mm 5/32"	**G39-464-2** 2.0mm 5/64"
G39-466-2 2.4mm 3/32"	**G39-468-2** 2.8mm 7/64"	**G39-470-2** 3.2mm 1/8"	**G39-472-2** 3.5mm 9/64"	**G39-474-2** 4.0mm 5/32"	



Threaded 12" pkg 6

G39-279 2mm .079”	**G39-281** 2.5mm .098”	**G39-283** 3mm .118”	**G39-287** 3.2mm .126”	**G39-289** 3.5mm .138”



Trocar 12" - pkg 6

G39-191 2mm .079”	**G39-193** 2.5mm .098”	**G39-195** 3mm .118”	**G39-197** 3.2mm .126”	**G39-199** 3.5mm .137”

GerVetUSA™ Improving Instruments, Refining Surgeries

10 - Steinmann Pins Double Trocar Threaded



Steinmann Pins Double Trocar Threaded

G39-436
2.0mm 5/64"

G39-438
2.4mm 3/32"

G39-440
2.8mm 7/64"

G39-444
3.5mm 9/64"

G39-446
4.0mm 5/32"

G39-448
4.5mm .177"



Steinmann Pin Double Trocar Threaded 12"

G39-309
2mm .079”

G39-311
2.5mm .098”

G39-313
3mm .118”

G39-315
3.2mm .126”

11 - Steinmann Pins Double Trocar



Steinmann Pins Double Trocar

G39-296
2.0mm 5/64"

G39-298
2.4mm 3/32"

G39-300
2.8mm 7/64"

G39-302
3.2mm 1/8"

G39-304
3.5mm 9/64"

G39-306
4.0mm 5/32"

G39-308
4.5mm .177"

G39-310
6.35mm 0.25"



Steinmann Pin Double Trocar 12"

G39-312
2.0mm 5/64"

G39-943
2.5mm .098”

G39-945
3mm .118”

G39-947
3.2mm .126”

G39-949
3.5mm .138”



Threaded Steinmann Pin Double Trocar Set of 2

G39-436-2
2.0mm 5/64"

G39-438-2
2.4mm 3/32"

G39-440-2
2.8mm 7/64"

G39-442-2
3.2mm 1/8"

G39-444-2
3.5mm 9/64"

G39-446-2
4.0mm 5/32"

G39-448-2
4.5mm .177"



Double Trocar Steinmann Pin Set of 2

G39-312-2
2.0mm 5/64"

G39-296-2
2.0mm 5/64"

G39-298-2
2.4mm 3/32"

G39-300-2
2.8mm 7/64"

G39-302-2
3.2mm 1/8"

G39-304-2
3.5mm 9/64"

G39-306-2
4.0mm 5/32"

G39-308-2
4.5mm 0.177"

G39-310-2
6.35mm 0.25"

GerVetUSA™
Improving Instruments, Refining Surgeries

12 - Single Trocar Round Steinmann Pin



Single Trocar Round Steinmann Pin 4"

G39-342 2.0mm 5/64"
G39-344 2.4mm 3/32"
G39-346 2.8mm 7/64"
G39-348 3.2mm 1/8"



Single Trocar Round Steinmann Pin 5"

G39-350 2.0mm 5/64"
G39-352 2.4mm 3/32"
G39-354 2.8mm 7/64"
G39-356 3.2mm 1/8"



Single Trocar Round Steinmann Pin 9"

G39-328 2.0mm 5/64"
G39-330 2.4mm 3/32"
G39-332 2.8mm 7/64"
G39-334 3.2mm 1/8"
G39-336 3.5mm 9/64"
G39-338 4.0mm 5/32"
G39-340 4.5mm .177"
G39-402 3.2mm 1/8"
G39-404 4.0mm 5/32"



Single Trocar Round Steinmann Pin 4" Set of 2

G39-342-2 2.0mm 5/64"
G39-344-2 2.4mm 3/32"
G39-346-2 2.8mm 7/64"
G39-348-2 3.2mm 1/8"



Single Trocar Round Steinmann Pin 5" Set of 2

G39-350-2 2.0mm 5/64"
G39-352-2 2.4mm 3/32"
G39-354-2 2.8mm 7/64"
G39-356-2 3.2mm 1/8"



Single Trocar Round Steinmann Pin 9" Set of 2

G39-402-2 3.2mm 1/8"
G39-404-2 4.0mm 5/32"
G39-328-2 2.0mm 5/64"
G39-330-2 2.4mm 3/32"
G39-332-2 2.8mm 7/64"
G39-334-2 3.2mm 1/8"
G39-336-2 3.5mm 9/64"
G39-338-2 4.0mm 5/32"
G39-340-2 4.5mm 0.177"

13 - Steinmann Pins Double Trocar Partially Threaded - pkg/6



G39-900 1/8" x 9"
G39-901 1/16" x 9"
G39-904 3/32" x 9"
G39-902 5/64" x 9"
G39-903 7/64" x 9"

GerVetUSA™ Improving Instruments, Refining Surgeries



14 - Steinmann Pins Double Diamond 9″ - pkg/6

G39-308 D
4.5mm .177"

G39-306 D
4.0mm .157"


G39-304 D
3.5mm .138"

G39-302 D
3.2mm .126"

G39-300 D
2.8mm .110"

G39-298 D
2.4mm .094"

G39-296 D
2.0mm .079"



15 - Steinmann Pin Single Diamond Trocars 12" - pkg/6

G39-269
3.5mm .138″

G39-267
3.2mm .126″

G39-265
3mm .118″

G39-263
2.5mm .098″

G39-261
2mm .079″



16 - Steinmann Pin Double Diamond Trocars 12" - pkg/6

G39-939
3.5mm .138″

G39-937
3.2mm .126″

G39-935
3mm .118″

G39-933
2.7mm .106″

G39-931
2.5mm .098″



17 - Steinmann Pins Single Diamond Threaded 9″ - pkg/6

G39-462 D
4.5mm .177"

G39-460 D
4.0mm .157"

G39-458 D
3.5mm .138"

G39-456 D
3.2mm .126"

G39-454 D
2.8mm .110"

G39-452 D
2.4mm .094"

G39-450 D
2.0mm .079"



18 - Steinmann Pins Double Diamond Threaded 9″ - pkg/6

G39-448 D
4.5mm .177"

G39-446 D
4.0mm .157"

G39-444 D
3.5mm .138"

G39-442 D
3.2mm .126"

G39-440 D
2.8mm .110"

G39-438 D
2.4mm .094"

G39-436 D
2.0mm .079"



19 - Steinmann Pin Single Diamond Round 9" Diameter - pkg/6

G39-328 D
2.0mm (.079")

G39-330 D
2.4mm (.094")

G39-332 D
2.8mm (.110")

G39-334 D
3.2mm (.126")

G39-336 D
3.5mm (.138")

G39-338 D
4.0mm (.157")

G39-340 D
4.5mm (.177")

GerVetUSA™

Improving Instruments, Refining Surgeries

(516) 385-3434 - (833) 906-7575

