

If we don't have the instrument
you're looking for,
we will **MANUFACTURE** it for you!


Small Bone Fracture Repair Kits *Titanium Plates*



**Mini Plates
2.0mm Screws
Non Locking Kit**



**Locking &
Cortical Plates
2.4mm & 3.5mm
Screws Kit**



**Locking Plates
1.5mm & 2.0mm
Screws Kit**




**Locking Plates
2.4mm Screws Kit**

☎ 516 385 3434 – 833 906 7575

🌐 www.GerVetUSA.com

📍 1188 Willis Ave Suite#801,
Albertson, NY 11507



Small Bone Fracture Locking Plates


Titanium 1.5mm & 2.0mm Screws Kit




SCAN ME
GV101-2646

- Straight Locking Plate, 21mm, 5.0mm Width, 4 Holes
- Straight Locking Plate, 25mm, 6.0mm Width, 4 Holes
- Straight Locking Plate, 30mm, 5.0mm Width, 6 Holes
- Straight Locking Plate, 36mm, 6.0mm Width, 6 Holes
- Straight Locking Plate, 39mm, 5.0mm Width, 8 Holes
- Straight Locking Plate, 47mm, 6.0mm Width, 8 Holes
- Straight Locking Plate, 69mm, 6.0mm Width, 12 Holes
- Straight Locking Plate, 113mm, 6.0mm Width, 20 Holes
- Reconstruction Locking Plate, 35mm, 6.0mm Width, 8 Holes
- Reconstruction Locking Plate, 38mm, 5.0mm Width, 8 Holes
- Reconstruction Locking Plate, 46mm, 6.0mm Width, 8 Holes
- Reconstruction Locking Plate, 68mm, 6.0mm Width, 12 Holes
- Reconstruction Locking Plate, 76mm, 5.0mm Width, 16 Holes
- Reconstruction Locking Plate, 112mm, 6.0mm Width, 20 Holes
- Mesh Locking Plate, 46 × 78mm, 6 × 10 Holes
- Non-Locking Plate, 80mm, 5.0mm Width, 20 Holes
- Non-Locking Plate, 100mm, 6.0mm Width, 20 Holes
- 40 × Titanium Screws, 1.5mm, assorted lengths
- 35 × Titanium Screws, 2.0mm, assorted lengths
- Drilling Jig Funnel, 2.4mm
- Screwdriver Blade, Torx T6, 50mm (×2)
- Plate Holding Forceps, Angled, 4"
- Depth Gauge, 30mm with Cap
- T Locking Plate, 32mm, 6 Holes
- T Locking Plate, 39mm, 6 Holes
- T Locking Plate, 59mm, 12 Holes
- T Locking Plate, 72mm, 12 Holes
- Y Locking Plate, 35mm, 6 Holes
- Y Locking Plate, 42mm, 6 Holes
- Y Locking Plate, 62mm, 12 Holes
- Y Locking Plate, 75mm, 12 Holes
- K Locking Plate, 46mm, 8 Holes
- K Locking Plate, 56mm, 8 Holes
- Tine Locking Plate, 45mm, 8 Holes
- Tine Locking Plate, 54mm, 8 Holes
- Condylar Locking Plate, 42mm, 8 Holes
- Condylar Locking Plate, 51mm, 8 Holes

Contact
for Price





SCAN ME
GV101-2643

Small Bone Fracture Locking & Cortical Plates Titanium **2.4mm & 3.5mm** Screws Kit

- L Plate, 39mm, 9 Holes - Left / Right
- L Plate, 56mm, 9 Holes - Left / Right
- T Plate, 54mm, 10 Holes
- T Plate, 72mm, 9 Holes
- Y Plate, 56mm, 10 Holes
- Y Plate, 70mm, 9 Holes
- Curved Plate, 30mm, 7.8mm Width, 5 Holes
- Curved Plate with Bar, 28mm, 7.2mm Width, 4 Holes
- Curved Plate with Bar, 40mm, 8.6mm Width, 6 Holes
- Cricket Plate, 55mm, 8 × 6mm Width, 8 Holes
- Cricket Plate, 80mm, 8 × 6mm Width, 12 Holes
- Cricket Plate, 105mm, 8 × 6mm Width, 16 Holes
- Hockey Plate, 58mm, 9 Holes - Left / Right
- Hockey Plate, 77mm, 9 Holes - Left / Right
- 51 × Titanium Screws, 2.4mm, Locking & Cortical, assorted lengths
- 51 × Titanium Screws, 3.5mm, Locking & Cortical, assorted lengths
- Drilling Jig Funnel, 2.4mm
- Drilling Jig Funnel, 3.5mm
- Screwdriver Blade, Torx T6, 50mm
- Screwdriver Blade, Torx T8, 50mm
- Coupling Handle for Torx Bit, 7½", Phenolic
- Plate Holding Forceps, Angled, 4"
- Depth Gauge, 30mm with Cap

Contact
for Price

Small Bone Fracture Locking Plates

Titanium 2.4mm Screws Kit



SCAN ME
GV101-2645

- Condylar Locking Plate, 86mm, 12 Holes
- Straight Locking Plate, 29mm, 8.0mm Width, 4 Holes
- Straight Locking Plate, 42mm, 8.0mm Width, 6 Holes
- Straight Locking Plate, 50mm, 8.0mm Width, 6 Holes
- Straight Locking Plate, 55mm, 8.0mm Width, 8 Holes
- Straight Locking Plate, 64mm, 8.0mm Width, 8 Holes
- Straight Locking Plate, 81mm, 8.0mm Width, 12 Holes
- Straight Locking Plate, 94mm, 8.0mm Width, 12 Holes
- Straight Locking Plate, 125mm, 8.0mm Width, 16 Holes
- Straight Locking Plate, 132mm, 8.0mm Width, 20 Holes
- Straight Locking Plate, 155mm, 8.0mm Width, 20 Holes
- Reconstruction Locking Plate, 54mm, 8.0mm Width, 8 Holes
- Reconstruction Locking Plate, 80mm, 8.0mm Width, 12 Holes
- Reconstruction Locking Plate, 133mm, 8.0mm Width, 20 Holes
- Tine Locking Plate, 62mm, 8 Holes
- Mesh Locking Plate, 52 × 88mm, 6 × 10 Holes
- Y Non-Locking Mini Plate, 34.5mm, 1.0mm Thick, 7 Holes
- 57 × Titanium Screws, 2.4mm, assorted lengths
- Drilling Jig Funnel, 2.4mm
- Screwdriver Blade, Torx T6, 50mm (×2)
- Plate Holding Forceps, Angled, 4"
- Depth Gauge, 30mm with Cap
- Y Locking Plate, 50mm, 6 Holes
- Y Locking Plate, 89mm, 12 Holes
- T Locking Plate, 50mm, 6 Holes
- T Locking Plate, 85mm, 12 Holes
- T Locking Plate, 89mm, 12 Holes
- K Locking Plate, 92mm, 12 Holes

Contact
for Price

